

=====
MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to
comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.
=====

PRODUCT SHOW KOTE
IDENTITY: Auto Polish
Revision Date: 02/23/2010

Section I

Sold By: DirectLine Ind. Telephone Numbers:
Address: PO Box 15133 Emergency:
ST. LOUIS 800-255-3924 Chem-Tel
Mo.63110 Information:
866-773-6136

HMIS CODES: REACTIVITY: 0 FLAMMABILITY: 3 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the
ingredients contained in this product are listed on the TSCA inventory.)
=====

Table with 6 columns: Name, Cas No., OSHA PEL, ACGIH TLV, OTHER LIM, %. Rows include ISOPARAFINIC HYDROCARBON and PROPANE/N-BUTANE.

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

Boiling Point: N/A Specific Gravity (water=1) 0.99
Vapor Pressure(mm Hg) N/A Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: .2
Solubility in Water: 0% (Butyl Acetate=1)
Appearance and Odor: MILKY LIQUID, SOLVENT ODOR

Section IV: FIRE AND EXPLOSION HAZARD DATA
=====

Flash Point(Method Used):<100F TCC Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD DRY CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS

Unusual Fire and Explosion Hazards: FLAMMABLE. KEEP AWAY FROM
SPARKS OR OPEN FLAME. CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES
>120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT SHOW KOTE

=====
Stability: Unstable: Conditions to avoid:
 Stable: X OPEN FLAMES OR SPARKS-FLASH POINT 105F
Incompatibility (Materials to Avoid): STRONG OXIDIZERS

Hazardous Decomposition or Byproducts: ORGANICS CO2, CO AND SULPHUR OXIDES
MAY FORM COMBUSTIBLE MATERIAL.

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE KNOWN

Section VI: HEALTH HAZARD DATA

=====
Routes of Entry: Inhalation: NO Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
INGESTION: HARMFUL OR FATAL IF SWALLOWED. SKIN: MAY CAUSE DEFATTING OF
TISSUES AND DRYING OF SKIN. EYES: WILL CAUSE SEVERE IRRITATION.

Carcinogenicity: NTP:NO IARC Monographs:NO OSHA Reg:NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARDS

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR.
INGESTION: DO NOT INDUCE VOMITING. CONTACT PHYSICIAN IMMEDIATELY. SKIN:
WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER AND CONTACT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

=====
Steps to be Taken in Case Material is Released or Spilled: WIPE UP WITH
RAG OR USE SOME ABSORBENT CLAY MATERIAL.

Waste Disposal Method: EMPTY CANS CAN BE DISPOSED OF IN LANDFILL.
CONSULT WITH LOCA AND STATE AGENCIES FOR DISPOSAL OF FILLED CONTAINERS.

Precautions to be Taken in Handling and Storing: KEEP AWAY FROM HEAT, SPARKS
OR OPEN FLAMES. STORE IN A COOL DRY AREA. KEEP CONTAINER TIGHTLY SEALED.
EXPOSURE TO TEMPERATURES >120 F MAY CAUSE BURSTING.
Other Precautions: N/A

Section VIII: CONTROL MEASURES

=====
Respiratory Protection: N/A
Ventilation: Local Exhaust: ADEQUATE
Mechanical: EXPLOSION PROOF Special: N/A
Other: NO SMOKING OR OPEN FLAMES
Protective Gloves: N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE.

□