

**SAFETY DATA SHEET**

This SDS Complies With 29 CFR 1910.1200 (The Hazard Communication Standard)

\*\*\*\*\*

---

---

**Section I - Product & Company Identification**

---

---

**Product identifier**

Product name : **3X BLACK MAX**

Product form: Liquid

Relevant identified uses of the substance or mixture: Solvent based polish

**Details of the supplier of the safety data sheet**

Distributor:

DirectLine Industries , P. O. Box 15133, St. Louis, MO 63110

Phone: 1- 866-773-6136

**Emergency telephone number**

Emergency number: 1-888-255-3924 (CHEM-TEL)

---

---

**Section II – Hazards Identification**

---

---

**Classification**

Flammable Liquids- Category 3

Acute Toxicity-Inhalation- Category 4

Serious eye damage/Eye Irritation - Category 2B

Skin corrosion/ irritation - Category 2

Aspiration hazard - Category 1

Specific target organ toxicity- single exposure (Category 3), Central nervous system.

Pictogram



**Signal Word**

**Danger**

**Hazard Statements**

Flammable liquid and vapor.

Harmful if inhaled.

May be fatal if swallowed and enters airways.

Causes skin and eye irritation

May cause drowsiness or dizziness.

**Precautionary Statements – Prevention**

Keep away from heat/sparks/open flames/hot surfaces- No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Use in well-ventilated area.  
Wash face, hands and any exposed skin thoroughly after handling  
Do not eat, drink or smoke when using this product  
Wear protective gloves/protective clothing/eye protection/face protection  
Avoid breathing mist/vapors/spray.

**Precautionary Statements – Response**

In case of fire: Consider carbon dioxide, dry chemical, dry sand or alcohol resistant foam to extinguish.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation occurs  
IF ON SKIN: Take off contaminated clothing and wash before reuse. Wash with plenty of soap and water. If irritation occurs get medical advice/attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call POISON CENTER/doctor if you feel unwell.  
IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell  
Rinse mouth

**Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

---

---

**Section III –Composition/Information on ingredients**

---

---

Mixture

Name	Product identifier	Weight %
Hydrotreated Petroleum distillate( Light)	(CAS No) 64742-47-8	65-75

Any concentration shown as a range is to protect confidentiality or is due to process variation.

---

---

**Section IV – First Aid Measures**

---

---

**First Aid Measures**

**Inhalation:** Remove to fresh air. If breathing stops, provide artificial respiration. If symptoms persist, call a physician.

**Eye Contact:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.

**Ingestion:** Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

**Skin Contact:** Remove contaminated clothing, wash with plenty of water. If skin irritation persists, call a physician.

## **Most Important Symptoms and Effects, both Acute and Delayed**

### **Symptoms**

May cause skin and eye irritation.  
Dizziness or drowsiness

## **Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians:** Treat symptomatically. Symptoms may be delayed.

---

---

## **Section V – Fire Fighting Measures**

---

---

### **Suitable Extinguishing Media**

Alcohol resistant foam, dry chemical or carbon dioxide.

**Unsuitable Extinguishing Media:** High volume water jet.

### **Specific Hazards Arising from the Chemical**

Carbon oxides

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved and full protective gear.

---

---

## **Section VI –Accidental Release Measures**

---

---

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Use personal protective equipment as required. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe area.

### **Methods and Material for Containment and Cleaning Up**

**Methods for Containment:** Eliminate all ignition sources. Prevent further leakage or spillage if safe to do so. Prevent discharge to open bodies of water, municipal sewers, and watercourses.

**Methods for Cleaning Up:** Use non-combustible material like vermiculite, sand or earth to soak up the product and place into a suitable container for later disposal. Following product recovery, flush area with water. Scrub area with detergent and water.

---

---

## **Section VII – Handling & Storage**

---

---

### **Precautions for Safe Handling**

**Advice on Safe Handling:** Handle in accordance with good industrial hygiene and safety practice. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions:** Keep containers tightly closed in a dry, cool and well-ventilated place.

---

---

**Section VIII – Exposure Controls/ Personal Protection**

---

---

**Exposure Guidelines**

<b>Chemical Name</b>	<b>CAS #</b>	<b>ACGIH TLV</b>	<b>OSHA PEL</b>	<b>NIOSH</b>
Hydrotreated Petroleum distillate( Light)	64742-47-8	212 ppm 1200 mg/m <sup>3</sup>	500 PPM	No data available

**Appropriate Engineering Controls**

**Engineering Controls:** Provide adequate ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

**Individual Protection Measures, such as Personal Protective Equipment**

**Eye/Face Protection:** Wear approved chemical safety goggles/face shield where a splash hazard exists. Eyewash station is recommended.

**Skin and Body Protection:** Wear suitable protective clothing.

**Respiratory Protection:** Ensure adequate ventilation, especially in confined areas.

**General Hygiene Considerations:** Handle in accordance with good industrial hygiene and safety practice.

---

---

**Section IX – Physical & Chemical Properties**

---

---

**Information on Basic Physical and Chemical Properties**

<b>Physical State</b>	Liquid
<b>Color</b>	Colorless
<b><u>Property</u></b>	<b><u>Values</u></b>
pH	No data available
Melting Point/Freezing Point	No data available
Boiling Point/Boiling Range	No data available
Flash Point	42 ° C (107 ° F) TCC
Evaporation Rate	No data available
Flammability (Solid,Gas)	n/a-liquid
Upper Flammable Limits	5.5%
Lower Flammable Limits	0.6%
Vapor Pressure	0.225 to 0.45 mmHg @ 68 ° F
Vapor Density	4.5
Specific Gravity	0.84
Water Solubility	negligible soluble in water

Solubility in Other Solvents	No data available
Partition Coefficient	No data available
Autoignition Temperature	236 ° C (456.8 ° F)
Decomposition Temperature	No data available
Kinematic Viscosity	No data available
Dynamic Viscosity	No data available
Explosive Properties	Not an Explosive
Oxidizing Properties	No data available
Odor	Hydrocarbon
Odor Threshold	No data available

---



---

### Section X – Stability & Reactivity

---



---

#### **Reactivity**

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None Known

#### **Conditions to Avoid**

Heat, sparks, flames.

Extremes of temperature and direct sunlight.

#### **Incompatible Materials**

Strong oxidizing agents, strong acids, strong bases.

#### **Hazardous Decomposition Products**

Carbon dioxide, carbon monoxide and/or low weight hydrocarbons.

---



---

### Section XI - Toxicological information

---



---

#### **Information on Likely Routes of Exposure**

##### **Product Information :**

**Inhalation:** Avoid breathing vapors or mists.

**Eye Contact:** Causes eye irritation

**Skin Contact:** Avoid contact with skin.

**Ingestion:** Harmful if swallowed.

This product as a whole has not been tested for acute toxicity; the following is based on component data:

Chemical Name	CAS #	Oral LD50	Dermal LD50	Inhalation LC50
Hydrotreated Petroleum distillate( Light)	64742-47-9	>5,000 mg/kg (rat)	>2,000mg/kg (Rabbit)	>5.2 mg/1 4 h(Rat)

Chemical Name	Hydrotreated Petroleum distillate( Light)
Skin corrosion/irritation	Mild irritation
Serious eye damage/irritation	Mild irritation
Respiratory or skin sensitization	Does not cause sensitization
Mutagenicity	Negative results
Carcinogenicity	No carcinogenic properties
Reproductive toxicity	No data available
Specific target organ toxicity-Single exposure	Central nervous system Inhalation may cause drowsiness or dizziness
Specific target organ toxicity-repeated exposure	Causes mild skin irritation, causes serious eye irritation
Aspiration hazard	May be fatal if swallowed and enters airways.

**Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure**

**Carcinogenicity:** This product does contain carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

**Numerical Measures of Toxicity:** Not determined

---



---

**Section XII - Ecological information**

---



---

**Ecotoxicity**

There is no data available for this product as a whole.

Chemical Name	CAS #	Algae/aquatic plants	Fish	Aquatic invertebrates	Crustacea
Hydrotreated Petroleum distillate( Light)	64742-47-8	No data available	LC50 (Oncorhynchus mykiss (rainbow trout)): 2.4 mg/l [Static] 96 h, LC50 Pimephales promelas: 45 mg/l {flow-through} 96 h, LC50 Lepomis macrochirus: 2.2 mg/l [Static] 96 h	LC50 Dendrobaena rerio: 4720 mg/l 96 h	No data available

**Persistence and Degradability**

No data available

**Bioaccumulation**

No data available

**Mobility**

No data available

---



---

**Section XIII - Disposal considerations**

---



---

**Waste Disposal Method**

Dispose of material in accordance with all Federal, State and local regulations. Local regulations may be more stringent than Federal or State. Avoid discharge to sewers or waterways.

---

---

**Section XIV - Transport information**

---

---

**DOT Proper Shipping Description:**

**Bulk:** UN1268, Petroleum distillates solution, N.O.S., (Mineral spirits), 3, PGIII

**Non-Bulk:** Combustible, Not Regulated.

---

---

**Section XV - Regulatory information**

---

---

**SARA Title III Section 311/312 (40CFR370):** Fire, acute health hazards.

**SARA Title III Section 313 (40CFR372):** No reportable component.

**RCRA Status (40CFR261.33):** No reportable components.

**TSCA Inventory Status:** Reported/included

**OSHA/NTP/IARC Carcinogen Status:** Not listed

**Canadian DSL Status:** Reported/included

**Chemicals Known to the State of California to Cause Cancer or Reproductive Toxicity:**

None

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrotreated Petroleum distillate( Light)	X	X	X

---

---

**Section XVI - Other information**

---

---

**HMIS ratings:** Health: 2  
Flammability: 2  
Reactivity: 0

Indication of changes: Revision 1

Date Sheet Prepared: 05/13/2015 Other information: Author – EHS Administrator

\*\*\*\*\*

The information herein is presented in good faith and believed to be correct as of the date hereof. However, the manufacturer makes no representation as to the completeness and accuracy thereof. Users must make their own determination as to the suitability of the product for their purposes prior to use.

No representations or warranty's, either express or implied of merchantability, fitness for a particular purpose or of any other nature with respect to the product or to the information herein is made hereunder. The manufacturer shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication or use of or reliance upon information contained herein.

**END OF SDS**